

## HRS

## RRP SEK

HRS	RRP SEK
<b>HRS Chassis Noise Reduction Products - significantly reduce the noise levels on the bottom</b>	
<b>of the component chassis and significantly reduce the component's top chassis noise level.</b>	
<b>Nimbus Coupler (all polymer coupler)</b>	<b>700 kr</b>
<b>Note: The Nimbus Coupler price shown is per unit (double this price for two units). Nimbus Couplers are currently shipped from HRS as two units per box.</b>	
<b>Nimbus Spacer (standard color is black)</b>	<b>900 kr</b>
<b>NS-030</b>	<b>900 kr</b>
<b>NS-080</b>	<b>1 100 kr</b>
<b>NS-130</b>	
<b>Nimbus Assembly (two Nimbus Couplers bonded to one Nimbus Spacer)</b>	
<b>NA-100 (1.0 inch height, 2.54 cm)</b>	<b>2 300 kr</b>
<b>NA-150 (1.5 inch height, 3.81 cm)</b>	<b>2 400 kr</b>
<b>NA-200 (2.0 inch height, 5.08 cm)</b>	<b>2 700 kr</b>
<b>Vortex feet (standard finish is stainless steel)</b>	
<b>V-150 (fixed height)</b>	<b>6 400 kr</b>
<b>V-150A (adjustable height)</b>	<b>7 100 kr</b>
<b>V-150 Set (3 V-150 plus 1 V-150A)</b>	<b>24 000 kr</b>
<b>Helix feet (standard color is black)</b>	
<b>HLX-090 (1/8" T-Wrench not included)</b>	<b>2 400 kr</b>
<b>HLX-090-SET (3 HLX-090 with 1 - 1/8" T-Wrench)</b>	<b>7 100 kr</b>
<b>DPII Damping Plate (standard colors are black or silver)</b>	
<b>DPII-05545 (4.5" x 5.5" x 0.7")</b>	<b>2 800 kr</b>
<b>DPII-09545 (4.5" x 9.5" x 0.7")</b>	<b>4 000 kr</b>
<b>DPII-14545 (4.5" x 14.5" x 0.7")</b>	<b>5 100 kr</b>
<b>DPX Damping Plate (standard colors are black or silver)</b>	
<b>DPX-05545 (4.5" x 5.5" x 1.3")</b>	<b>3 500 kr</b>
<b>DPX-09545 (4.5" x 9.5" x 1.3")</b>	<b>5 200 kr</b>
<b>DPX-14545 (4.5" x 14.5" x 1.3")</b>	<b>6 400 kr</b>
<b>All HRS Isolation Base series (E1X, R3X, S3 and M3X2) are designed with the same global</b>	
<b>engineering architecture. Each model can be set to either dissipate energy from or isolate</b>	
<b>each component. The price of each isolation base includes a set of four of either our Broad-</b>	
<b>Band Isolation Feet (SF), our Extended Low Frequency Feet (LF) or our Bi-Directional Noise</b>	
<b>Reduction Feet (G7). The selection of each footer is dependent on the component,</b>	
<b>configuration, and/or environment. The majority of components perform best on the HRS</b>	

Isolation Bases using the HRS Broadband Isolation Feet, especially when used in conjunction	
with the HRS Damping Plates, Nimbus, Helix and Vortex Chassis Noise Reduction products.	
At the time of order please indicate the footer selection for each Isolation Base. All footers	
are attached to the bottom of each isolation base at the same locations. If uncertain,	
please provide the specific model of component.	
Broadband Isolation Feet (SF) These are the starting point for all	
components that do not fall into one of the	
categories listed below. They are ideal for	
turntables, digital sources, and tube	
amplifiers, etc.	
Low Frequency Feet (LF) These are used with non—suspended	
turntables and other components in	
environments where subwoofers are present	
in the system, subsonic frequency is	
displayed, and/or motion is present in the	
furniture or the floor. This situation creates	
feedback and a less than ideal system	
performance. Specific model of component	
must be indicated at the time of the order.	
Bi-Directional Noise Reduction Feet (G7) These are used for components such as	
power transformers, tape machines, vacuum	
pumps, motors, solid state amplifiers (pre and	
power) or where chassis noise is a significant	
issue and the use of HRS Damping Plates,	
Vortex, Helix and Nimbus Systems are not an	
option nor desired. Please note when used	
on carpet a set of G-Links are required.	
E1X Isolation Base Series (standard colors are black or silver)	
E1X-2123 (23" w x 21" d)	29 000 kr
E1X-1923 (23" w x 19" d)	26 200 kr
E1X-1921 (21" w x 19" d)	23 200 kr
E1X-1719 (19" w x 17" d)	23 200 kr
E1X-1419 (19" w x 14" d)	1 800 kr
E1X-9.515-2 (9.5" w x 15" d)	14 000 kr
Custom E1X Isolation Base (multiple sizes available in	
widths of 9.5", 15", 19", 21", 23" and 25" with any depth)	
R3X Isolation Base Series (standard colors are black or silver)	
R3X-1921 (21" w x 19" d)	29 000 kr
R3X-1719 (19" w x 17" d)	28 300 kr
S3 Isolation Base Series (standard colors are black or silver)	

S3-1921 (21" w x 19" d)	41 900 kr
S3-1719 (19" w x 17" d)	40 400 kr
<b>M3X2 Isolation Base Series (standard colors are black or silver)</b>	
M3X2 Isolation Bases are built for maximum capacity of 130 - 145 lb. depending on the size of the M3X2	
Isolation Base. Custom M3X2 Isolation Base load ranges and sizes are available for every component in the world.	
M3X2-2123 (23" w x 21" d)	72 000 kr
M3X2-1925 (25" w x 19" d)	70 500 kr
M3X2-1923 (23" w x 19" d)	65 100 kr
M3X2-1921 (21" w x 19" d)	58 700 kr
M3X2-1719 (19" w x 17" d)	50 700 kr
M3X2-1419 (19" w x 14" d)	44 000 kr
<b>Audio Stands</b>	
<b>EXR Audio Stand System (standard colors are black and silver anodize finish)</b>	
*HRS Isolation Bases are sold separately but not required.	
EXR-1921-1V, EXR-1719-1V	36 000 kr
EXR-1921-2V, EXR-1719-2V	61 700 kr
EXR-1921-3V, EXR-1719-3V	88 100 kr
EXR-1921-4V, EXR-1719-4V	114 600 kr
EXR-1921-5V, EXR-1719-5V	141 100 kr
Floor Protector (EXR Audio Stand Systems do not include floor protectors)	200 kr
Extra EXR Struts to change height of existing system (Price of extra strut is for standard component spacing 4", 6", 8", 10", or 12")	1 500 kr
Custom sizes are available in widths of 9.5", 15", 19", 21", 23", and 25" with any depth.	
Price includes 4", 6", 8", 10", or 12" component spacing. 14", 16", or 18" component spacing available at additional charge.	
The EXR Audio Stand System can be upgraded into the HRS SXR, SXRC, or SXR Signature Audio Stand with EXR Isolation Bases using a majority of the original parts from the EXR.	
<b>EXRD Audio Stand System (standard colors are black and silver anodize finish)</b>	
*HRS Isolation Bases are sold separately but not required.	
Standard plinth dimensions are 42" wide and available in any depth up to 23".	
EXRD-1942-1V	58 700 kr
EXRD-1942-2V	105 800 kr
EXRD-1942-3V	152 800 kr
EXRD-1942-4V	199 900 kr
EXRD-1942-5V	246 900 kr

Floor Protector (EXR Audio Stand Systems do not include floor protectors)	200 kr
Extra EXR Struts to change height of existing system (Price of extra strut is for standard component spacing 4", 6", 8", 10", or 12")	1 500 kr
Custom sizes are available in widths of 9.5", 15", 19", 21", 23", and 25" with any depth.	
Price includes 4", 6", 8", 10", or 12" component spacing. 14", 16", or 18" component spacing available at additional charge.	
EXRH Headphone Stand System (standard colors are black and silver anodize finish) *Specifically designed for headphone systems and small-format electronic components	
EXRH-9.515-2-1V	27 200 kr
EXRH-9.515-2-2V	49 300 kr
EXRH-9.515-2-3V	70 600 kr
EXRH-9.515-2-4V	91 200 kr
Floor Protector (EXRH Audio Stand Systems do not include floor protectors)	200 kr
Extra EXRH Struts to change height of existing system (Price of extra strut is for standard component spacing 4", 6", 8", 10", or 12")	1 500 kr
Custom sizes are available in widths of 9.5", 15", 19", 21", 23", and 25" with any depth.	
Price includes 4", 6", 8", 10", or 12" component spacing. 14", 16", or 18" component spacing available at additional charge.	
SXRC Audio Stand Frame (standard colors are black or silver anodize finish) *HRS Isolation Bases are sold separately.	
The SXRC Audio Stand is a custom four post version of the SXR Audio Stand that is designed to fit almost every amplifier in the world.	
SXRC-1521-2-1V	64 000 kr
SXRC-1523-2-1V	64 600 kr
SXRC-1527-2-1V	69 700 kr
SXRC-1921-2-1V	64 600 kr
SXRC-1923-2-1V	65 700 kr
SXRC-1927-2-1V	71 000 kr
SXRC-2121-1V	65 700 kr
SXRC-2123-2-1V	66 300 kr
SXRC-2127-2-1V	71 400 kr
SXRC-2123-1V	66 900 kr
SXRC-2323-1V	67 300 kr
SXRC-2327-2-1V	72 700 kr

Only available in vertical configurations (1V, 2V, 3V, 4V, 5V, etc.). Not available in double-wide or tiered frame configurations.	
<b>SXR Audio Stand Frame (standard colors are black or silver anodize finish)</b> *HRS Isolation Bases are sold separately. Floor Protectors are included in stand price.	
SXR-1921-1V	43 000 kr
SXR-1921-2V	76 800 kr
SXR-1921-3V	109 500 kr
SXR-1921-4V	142 500 kr
SXR-1921-5V	169 800 kr
SXR-1719-1V	42 300 kr
SXR-1719-2V	76 000 kr
SXR-1719-3V	108 100 kr
SXR-1719-4V	140 200 kr
SXR-1719-5V	167 200 kr
SXR double-wide, triple-wide, tiered systems, etc. - add price of any combination to obtain integrated frame price (infinite configuration options).	
SXR Solid Brace Insert (1 pair)	30 800 kr
SXR Cable Organizer (aluminum) each	14 600 kr
SXR Cable Organizer (acetal) each	quote required
Extra SXR struts to change height of existing system (Price of extra strut is for standard component spacing 4", 6", 8", or 10")	1 500 kr
Price includes 4", 6", 8", or 10" component spacing. 12", 14", or 16" component spacing available at additional charge.	
<b>VXR Audio Stand Frame (standard colors are black or silver anodize finish)</b> *HRS Isolation Bases are sold separately. Floor protectors are included in stand price.	
VXR-1921-1V	127 200 kr
VXR-1921 2V. (8" component spacing)	239 600 kr
VXR-1921-2V (12" component spacing)	274 900 kr
VXR-1921-3V (8" component spacing)	348 400 kr
VXR-1921-4V (8" component spacing)	463 100 kr
VXR-1921-5V (8" component spacing)	573 400 kr
VXR Center Panel 1V	92 600 kr
VXR Center Panel 2V (8" component spacing)	186 700 kr
VXR Center Panel 2V (12" component spacing)	197 400 kr
VXR Center Panel 3V (8" component spacing)	278 600 kr
VXR Center Panel 4V (8" component spacing)	373 400 kr
VXR Center Panel 5V (8" component spacing)	469 000 kr

<b>Pricing above is for 8" of component spacing at each location unless otherwise noted. Additional frame capacity can be purchased for any frame configurations.</b>	
<b>Sizes in between each increment are available for the VXR Audio Stand as well as taller than a 5V. This system has an infinite number of options. Please contact HRS for a custom quote.</b>	
<b>VXR Cable Organizer (aluminum) Each</b>	<b>8 800 kr</b>
<b>VXR Cable Organizer (acetal) Each</b>	<b>quote required</b>
<b>VXR Solid Brace Insert (1 Pair)</b>	<b>49 600 kr</b>
<b>The reference level VXR Audio Stand is available in a full matrix of sizes and finishes. Please contact HRS for a quote on your custom order.</b>	